



ZPMV2.E203416 Wiring, Printed - Component

If you notice a change to your ZPMV2 Listing Card, click [here](#) to learn more.

For enhanced search functionality, please visit UL's [iQ™ Family of Databases](#).

Click on a product designation for complete information.

[Page Bottom](#)

Wiring, Printed - Component

[See General Information for Wiring, Printed - Component](#)

CEMEBO S R O

E203416

Porici 2396/42

678 01 Blansko, CZECH REPUBLIC

	Cond Width		Cond	SS/ DS/ DSO	Max			Max	Meets	C	
	Min	Edge			Area	Solder	Oper				
	Min	Edge	Thk	DS/ DSO	Diam	Limits	Temp	Flame	UL796	T	
Type	mm(in)	mm(in)	mic(mil)	DSO	mm(in)	C	sec	C	Class	DSR	I
Multilayer printed wiring boards.											
ML	0.06 (0.002)	0.08 (0.003)	17.1 (0.67) Int:68.6	DS	25.2 (1.0)	280	10	130	V-0	All	*
ML-1	0.06 (0.002)	0.08 (0.003)	17.1 (0.67) Int:34.3	DS	25.4 (1.0)	280	10	130	V-0	All	*
ML-2	0.06 (0.002)	0.08 (0.003)	61 (2.40) Int:210	DS	25.4 (1.0)	280	10	130	V-0	All	*
ML-3	0.76 (0.030)	0.96 (0.038)	18 (0.71) Int:35	DS	25.4 (1.0)	280	10	130	V-0	All	3
Single layer Metal base printed wiring boards.											
AL	0.38 (0.015)	0.39 (0.015)	18 (0.71)	SS	25.4 (1.0)	280	10	130	V-0	All	0
Single layer printed wiring boards.											
1	0.10 (0.004)	0.10 (0.004)	18 (0.71)	DS	25.4 (1.0)	280	10	130	V-0	▲	*

* - CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

[Last Updated](#) on 2018-01-09

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".